

West African Ornithological Society Société d'Ornithologie de l'Ouest Africain



Join the WAOS and support the future availability of free pdfs on this website.

http://malimbus.free.fr/member.htm

If this link does not work, please copy it to your browser and try again. If you want to print this pdf, we suggest you begin on the next page (2) to conserve paper.

Devenez membre de la SOOA et soutenez la disponibilité future des pdfs gratuits sur ce site.

http://malimbus.free.fr/adhesion.htm

Si ce lien ne fonctionne pas, veuillez le copier pour votre navigateur et réessayer. Si vous souhaitez imprimer ce pdf, nous vous suggérons de commencer par la page suivante (2) pour économiser du papier.

In 1980 when I first listed M. violacea, I had just come to CAR from eight years in Arli and Pendiari Parks (Burkina and Benin), where this species is common. The violet-coloured turaco one finds at Bamingui is uncommon, seldom seen well, and with my preconceived notions, was misidentified. Although Fry et al. (1988) indicate that perhaps M. violacea and M. rossae are sympatric in nearby Manovo-Gouda-Saint Floris National Park, I would hesitate to make that claim for Bamingui-Bangoran. The bird seen in December 1988 was M. rossae. Crinifer piscator and Colius striatus are found in western CAR, and I was not surprised to find them at Baminoui.

References:

FRY, C.H., KEITH, S. & URBAN, E.K. (1988) The Birds of Africa, Vol. 3. Academic Press, London. GREEN, A.A. (1983) The birds of Bamingui-Bangoran National Park, Central

African Republic. Malimbus 5: 17-30. GREEN, A.A. (1984) Additional bird records from Bamingui-Bangoran

National Park, Central African Republic. Malimbus 6: 70-72.

A.A. Green Rt. 4, Box 490, Hlawassee, Georgia 30546, U.S.A.

WHITE-RUMPED SWIFT (APUS CAFFER) - NEW TO MALI

On 11 November 1988 we observed a party of ten White-rumped Swifts Apus caffer near Sotuba, on the south bank of the Niger river opposite Bamako (12°39N 8°00W). The birds were flying amongst Little Swifts A. affinis and Palm Swifts Cypsiurus parvus. There is no record of this species from Mali either in Lamarche (1980, Malimbus 2: 121-158) or Fry et al. (1988, The Birds of Africa, Vol. 3. Academic Press, London). However, the species has been recorded from three countries bordering Mali: Senegal (Fry et al. (1988), Burkina Faso (Holyoak & Seddon 1989, Bull. Brit. Orn. Club 109 : 205-216) and Mauritania (Meininger et al. 1990. Malimbus 12: 19-24).

> R.A. Cheke¹ & M.A. Howe² 1c/o Natural Resources Institute, Central Avenue, Chatham Maritime, Chatham, Kent, ME4 4TB, U.K. 2 Tegfan', 3 New Terrace, Tregarth, LL57 4PT, U.K.