



West African Ornithological Society
Société d'Ornithologie de l'Ouest
Africain



**Join the WAOS and support
the future availability of free
pdfs on this website.**

<http://malimbus.free.fr/member.htm>

If this link does not work, please copy it to your browser and try again.
If you want to print this pdf, we suggest you begin on the next page (2) to conserve paper.

**Devenez membre de la
SOOA et soutenez la
disponibilité future des pdfs
gratuits sur ce site.**

<http://malimbus.free.fr/adhesion.htm>

Si ce lien ne fonctionne pas, veuillez le copier pour votre navigateur et réessayer.
Si vous souhaitez imprimer ce pdf, nous vous suggérons de commencer par la page suivante
(2) pour économiser du papier.

Bibliographie

- BANNERMAN, D.A. (1939) *The Birds of Tropical West Africa*, vol. 5. Oliver & Boyd, London.
- CHAPPUIS, C. (1974) Illustration sonore de problèmes bioacoustiques posés par les oiseaux de la zone éthiopienne. *Alauda* 42: 467-500.
- CHAPPUIS, C., ÉRARD, C. & MOREL, G.J. (1989) Type specimens of *Prinia subflava* (Gmelin) and *Prinia flaviatilis* Chappuis. *Bull. Brit. Orn. Club* 109: 108-110.
- CHAPPUIS, C., ÉRARD, C. & MOREL, G.J. (1993) Morphology, habitat, vocalizations and distribution of the River Prinia *Prinia flaviatilis* Chappuis. *Proc. 7 Pan-Afr. Orn. Congr.*: 481-487.
- JENSEN, J.V. & KIRKEBY, J. (1980) *The Birds of The Gambia*. Aros Nature Guides, Århus.
- MACKWORTH-PRAED, C.W. & GRANT, C.H.B. (1973) *Birds of West-Central and Western Africa*, vol. 2. Longman, London.
- NAUROIS, R. DE (1969) Peuplements et cycles de reproduction des oiseaux de la côte occidentale d'Afrique. *Mém. Mus. Nat. Hist. Nat.*, n. sér., sér. A, Zool. 56: 1-312.
- SHUEL, R. (1938a) Notes on the breeding habits of birds near Zaria, northern Nigeria. Description of their nests and eggs. *Ibis* (14)2: 230-244.
- SHUEL, R. (1938b) Further notes on the eggs and nesting habits of birds in northern Nigeria (Kano Province). *Ibis* (14)2: 463-480.

Reçu 18 novembre 1994

René de Naurois¹ & Gérard J. Morel²

Revu 15 février 1995

¹8 allée des Daims, 91800 Brunoy, France

²1 route de Sallenelles, 14860 Bréville-les-Monts, France

Mallard *Anas platyrhynchos* in Nigeria

On 5 December 1993, I visited Dagona Waterfowl Sanctuary, Hadejia-Nguru Wetlands, northern Nigeria (12°45'N, 10°35'E). About 10,000 Palaearctic ducks were present on the lake, mainly Pintail *Anas acuta* and Garganey *A. querquedula*. Among the main flock of about 4000 Pintail was a single male Mallard *A. platyrhynchos*. It was in pristine breeding plumage and showed no sign of any plumage aberrations, such as are seen on almost all captive "Mallards" in northern Nigeria, many of which appear to be hybrids of some description. This, combined with the fact that it was part of a large flock of wild Palaearctic ducks, strongly suggests that the bird was of wild origin.

Brown *et al.* (1982) describe the Mallard as a vagrant to West Africa, and this bird is accepted by Elgood *et al.* (1994) as the first substantiated record for Nigeria.


References

- BROWN, L.H., URBAN, E.K. & NEWMAN, K. (1982) *The Birds of Africa*, vol. 1. Academic Press, London.
- ELGOOD, J.H., HEIGHAM, J.B., MOORE, A.M., NASON, A.M., SHARLAND, R.E. & SKINNER, N.J. (1994) *The Birds of Nigeria*, 2nd ed.. Check-list 4, British Ornithologists' Union, Tring.

Received 23 December 1994

Igor Debski

Old Millfield, Alresford Road, Wivenhoe, Essex CO7 9JU, U.K.



Egyptian Goose – Oie d’Egypte – *Alopochen aegyptiacus*

Photo: Michael Gore